3

6

7

8

9

10

11

12

13

14

15

16

ACT NO. 13-17

AN ACT

To further amend Section 5 of TSL No. 4-59, as amended by CSL No. 2-94-14, 3-95-19, 4-98-36, 5-99-11, 5-00-29, 9-07-08, 9-08-04, and 11-11-07 by increasing the locally funded employees to 80 hours pay periods, and for other purposes.

BE IT ENACTED BY THE CHUUK STATE LEGISLATURE:

- Section 1. Amendments. Section 5 of TSL No. 4-59, as amended by CSL Nos. 2-94-14, 3-95-19,
- 4-98-36, 5-99-11, 5-00-29, 9-07-08, and 9-08-04, and 11-11-07 is hereby amended to read as follows:

"Section 5. Base Salary Schedule. Subject to section 17 (2) of the Public Service

System Act, the base hourly wage schedule appearing in the following table is hereby adopted pursuant to the State Public Service System Act to provide the official biweekly base salary.

Except as provided under Section 10, all those locally funded employees must be paid on 80 hours biweekly pay period, provided that funds are available for foreign including Compact sector grant employees which shall be paid to employees in accordance with the pay level assigned to their positions by the Public Service Commission under Section 17 (1) of the State Public Service System Act, as amended, and their respective terms of service in the position.

The applicable amount set out below shall be paid to each employee who is in pay status for 72 to 80 hours in the biweekly pay period effective October 1, 2016. To determine the hourly rate for overtime and applicable differentials, the applicable biweekly base salary shall be divided by 72 to 80. Such procedure shall be used only for those purposes, unless otherwise, provided by law or regulations.

P.L. Min. Rate Base Hourly Wage Rate Schedule

| 17 | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 1() | |
|----|----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| 18 | l | 1.250 | 1.306 | 1.366 | 1.430 | 1.499 | 1.572 | 1.651 | 1.735 | 1 825 | 1.921 | |
| 19 | 5 | 1.306 | 1.366 | 1.430 | 1.499 | 1.572 | 1.651 | 1.735 | 1.825 | 1.921 | 2.024 | |
| 20 | 3 | 1.366 | 1.430 | 1.499 | 1.572 | 1.651 | 1.735 | 1.825 | 1.921 | 2.024 | 2.134 | |
| 21 | -1 | 1.430 | 1.499 | 1.572 | 1.651 | 1.735 | 1.825 | 1.921 | 2.024 | 2.134 | 2.252 | |
| 22 | 5 | 1.499 | 1.572 | 1.651 | 1.735 | 1.825 | 1.921 | 2.024 | 2.134 | 2.252 | 2.378 | |
| 23 | 6 | 1.572 | 1.651 | 1.735 | 1.825 | 1.921 | 2.024 | 2.134 | 2.252 | 2.378 | 2.513 | |
| 24 | 7 | 1.651 | 1.735 | 1.825 | 1.921 | 2.024 | 2.134 | 2.252 | 2.378 | 2.513 | 2.657 | |
| 25 | 8 | 1.735 | 1.825 | 1.921 | 2.024 | 2.134 | 2.252 | 2.378 | 2.513 | 2.657 | 2.762 | |
| 26 | 9 | 1.825 | 1.921 | 2.024 | 2.134 | 2.252 | 2.378 | 2.513 | 2.657 | 2.762 | 2.827 | |

| 1 | 10 | 1.921 | 2.024 | 2.134 | 2.252 | 2.378 | 2.513 | 2.657 | 2.762 | 2.827 | 3.004 |
|----|----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2 | 11 | 2.024 | 2.134 | 2.252 | 2.378 | 2.513 | 2.657 | 2.762 | 2.827 | 3.004 | 3.193 |
| 3 | 12 | 2.134 | 2.252 | 2.378 | 2.513 | 2.657 | 2.762 | 2.827 | 3.004 | 3.193 | 3.396 |
| 4 | 13 | 2.252 | 2.378 | 2.513 | 2.657 | 2.762 | 2.827 | 3.004 | 3.193 | 396 | 3.612 |
| 5 | 14 | 2.378 | 2.513 | 2.657 | 2.762 | 2.827 | 3.004 | 3.193 | 3.396 | 3.612 | 3.844 |
| 6 | 15 | 2.513 | 2.657 | 2.762 | 2.827 | 3.004 | 3.193 | 3.396 | 3.612 | 3.844 | 3.942 |
| 7 | 16 | 2.657 | 2.762 | 2.827 | 3.004 | 3.193 | 3.396 | 3.612 | 3.844 | 3.942 | 4.208 |
| 8 | 17 | 2.762 | 2.827 | 3.004 | 3.193 | 3.396 | 3.612 | 3.844 | 3.942 | 4.208 | 4.492 |
| 9 | 18 | 2.827 | 3.004 | 3.193 | 3.396 | 3.612 | 3.844 | 3.942 | 4.208 | 4.492 | 4.796 |
| 10 | 19 | 3.004 | 3.193 | 3.396 | 3.612 | 3.844 | 3.942 | 4.208 | 4.492 | 4.796 | 5.121 |
| 11 | 20 | 3.193 | 3.396 | 3.612 | 3.844 | 3.942 | 4.208 | 4.492 | 4.796 | 5.121 | 5.469 |
| 12 | 21 | 3.396 | 3.612 | 3.844 | 3.942 | 4.208 | 4.492 | 4.796 | 5.121 | 5.469 | 5.841 |
| 13 | 22 | 3.612 | 3.844 | 3.942 | 4.208 | 4.492 | 4.796 | 5.121 | 5.469 | 5.841 | 6.140 |
| 14 | 23 | 3.844 | 3.942 | 4.208 | 4.492 | 4.796 | 5.121 | 5.469 | 5.841 | 5.140 | 6.566 |
| 15 | 24 | 3.942 | 4.208 | 4.492 | 4.796 | 5.121 | 5.469 | 5.841 | 6.140 | 5.566 | 7.022 |
| 16 | 25 | 4.208 | 4.492 | 4.796 | 5.121 | 5.469 | 5.841 | 6.140 | 6.566 | 7.022 | 7.510 |
| 17 | 26 | 4.492 | 4.796 | 5.121 | 5.469 | 5.841 | 6.140 | 6.566 | 7.022 | 7.510 | 8.032 |
| 18 | 27 | 4.796 | 5.121 | 5.469 | 5.841 | 6.140 | 6.566 | 7.022 | 7.510 | 3.032 | |
| 19 | 28 | 5.121 | 5.469 | 5.841 | 6.140 | 6.566 | 7.022 | 7.510 | 8.032 | | |
| 20 | 29 | 5.469 | 5.841 | 6.140 | 6.566 | 7.022 | 7.510 | 8.032 | | | |
| 21 | 30 | 5.841 | 6.140 | 6.566 | 7.022 | 7.510 | 8.032 | | | | |

Section 2. Effective Date. This Act shall take effect upon approval by the Governor, or

23 upon its becoming law without such approval.

Sign by:

Mark Mailo, President House of Senate

Chuuk State Legislature

Attested:

Date: 8/24//6

Songkinita Bossy, Chief Clerk

House of Senate

Chuuk State legislature

Innocente I. Oneisom House of Representatives Chuuk State Legislature

Attested:

Florence P. Stanley, Chief Clerk House of Representatives Chuuk State legislature

Approved by: Johnson Elimo, Governor Chuuk State Government

Date: 47. 35. 6

History:

S.B.NO

13-42:SD1

S.C.R.NO

13-2R-06